

ANALYSIS REPORT

Report / Sample: A.1 / 202513603

 Reception date: 10/10/2025 Start Date Analysis: 10/10/2025
 Date Issue Report: 15/10/2025 Final Date Analysis: 15/10/2025

Analyzed according to: EXTRA VIRGIN OLIVE OIL

Container's Type: 500 ml unpacked metal

Ref. sample (information provided by the customer): TROPICAL " DE SIERRA", CAMPAÑA OCTUBRE 2025, LOTE : 126144001

Applicant:


TROPICAL MANGROVE S.L.
 Calle Amapola,3
 23486 La Herradura (Granada)
 Spain

Description: Oil in closed container with inviolable cap

Summary of pesticide results

All the parameters analyzed were less than the limit of quantification.

Analytical Results

Testing	Applicant	Units	Limits	Analytical technique	Testing method
Organoleptic Assessment					
Median of defect	0,0			Sensory analysis	COI/T.20/Doc. n.º 15. Rev. 11
Median fruity attribute	6,3			Sensory analysis	COI/T.20/Doc. n.º 15. Rev. 11
Classification panel test	Extra Virgin Olive Oil			Sensory analysis	COI/T.20/Doc. n.º 15. Rev. 11
Acidity (Cold method)	0,23 ±0,02	% oleic acid	≤ 0,80	Volumetry	COI/T.20/Doc. n.º 34. Rev. 1
Peroxide Index	2,7 ±0,5	meq O ₂ /Kg	≤ 20,0	Volumetry	COI/T.20/Doc. n.º 35. Rev. 1
Ultraviolet coefficients					
K232	1,77 ±0,21		≤ 2,50	Spectrophotometry	COI/T.20/Doc. n.º 19. Rev. 5
K270	0,21 ±0,03		≤ 0,22	Spectrophotometry	COI/T.20/Doc. n.º 19. Rev. 5
Delta-K	< 0,00		≤ 0,01	Spectrophotometry	COI/T.20/Doc. n.º 19. Rev. 5
Ethyl Esters	< 2	mg/Kg	≤ 35	Gas chromatography	COI/T.20/Doc. n.º 28. Rev. 4 Method A
Waxes (C42+C44+C46)	< 32	mg/Kg	≤ 150	Gas chromatography	COI/T.20/Doc. n.º 28. Rev. 4 Method A
Metylics Esteres of Fatty Acids					
Myristic Acid (C14:0)	< 0,01	%	≤ 0,03	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Palmitic acid (C16: 0)	12,62 ±0,50	%	7,00 - 20,00	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Palmitoleic acid (C16: 1)	0,79 ±0,06	%	0,30 - 3,50	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Margaric acid (C17:0)	0,04 ±0,01	%	≤ 0,40	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Margaroleic acid (C17:1)	0,046 ±0,005	%	≤ 0,60	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Stearic Acid (C18:0)	2,89 ±0,12	%	0,50 - 5,00	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Oleic acid (C18:1) with isomers	79,38 ±0,65	%	55,00 - 85,00	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Linoleic acid (C18:2) with isomers	2,73 ±0,08	%	2,50 - 21,00	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Linolenic acid (C18:3) with isomers	0,80 ±0,07	%	≤ 1,00	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Arachidic acid (C20:0)	0,35 ±0,03	%	≤ 0,60	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Gadoleic Acid (C20:1)	0,21 ±0,02	%	≤ 0,50	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Behenic Acid (C22:0)	0,10 ±0,02	%	≤ 0,20	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1

ANALYSIS REPORT
Report / Sample: A.1 / 202513603

Testing	Applicant	Units	Limits	Analytical technique	Testing method
Lignoceric acid (C24:0)	0,06 ±0,01	%	≤ 0,20	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Sum of the transoleic isomers	< 0,02	%	≤ 0,05	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Sum of translinoleic + translinolenic isomers	< 0,02	%	≤ 0,05	Gas chromatography	COI/T.20/Doc. n.º 33. Rev. 1
Sterols Composition					
Cholesterol	0,1 ±0,1	%	≤ 0,5	Gas chromatography	COI/T.20/Doc. n.º 26. Rev. 5
Brassicasterol	< 0,1	%	≤ 0,1	Gas chromatography	COI/T.20/Doc. n.º 26. Rev. 5
Campesterol	3,1 ±0,1	%	≤ 4,0	Gas chromatography	COI/T.20/Doc. n.º 26. Rev. 5
Stigmasterol	0,90 ±0,05	%	<Campesterol	Gas chromatography	COI/T.20/Doc. n.º 26. Rev. 5
β-Sitosterol apparent	94,7 ±1,9	%	≥ 93,0	Gas chromatography	COI/T.20/Doc. n.º 26. Rev. 5
Δ7-Stigmasterol	0,4 ±0,1	%	≤ 0,5	Gas chromatography	COI/T.20/Doc. n.º 26. Rev. 5
Total Sterols	1.212 ±109	mg/Kg	≥ 1.000	Gas chromatography	COI/T.20/Doc. n.º 26. Rev. 5
Erythrodiol + Uvaol	2,5 ±0,4	%	≤ 4,5	Gas chromatography	COI/T.20/Doc. n.º 26. Rev. 5
ΔEcn42					
Real content	0,31			Liquid Chromatography	COI/T.20/Doc. n.º 20. Rev. 4
Theoretical content	0,17			Gas chromatography	COI/T.20/Doc. n.º 20. Rev. 4
Difference between the HPLC and theoretical content of triglycerides	0,14 ±0,04		≤ 0,20	Gas and liquid chromatography	COI/T.20/Doc. n.º 20. Rev. 4
Stigmastadienes	< 0,01	mg/Kg	≤ 0,05	Gas chromatography	COI/T.20/Doc. n.º 11. Rev. 4 Part A
Monopalmitate 2-glyceryl	0,6 ±0,1	%	≤0,9 if the % total palmitic acid is ≤14,00 % ≤1,0 if the % total palmitic acid is >14,00 %	Gas chromatography	COI/T.20/Doc. n.º 23. Rev. 1
Moisture and volatile matter (method B)	0,07 ±0,03	%		Gravimetry	UNE- EN ISO 662:2016
Impurities insoluble in N-hexane	< 0,10	%		Gravimetry	UNE- EN ISO 663:2017
Metals					
Lead	< 0,013	mg/Kg	≤ 0,10	ICP/MS	I.P. LAB-IT 129 based on FDA 02/2020 and in according to R. EEC 333/2007
Arsenic	< 0,013	mg/Kg	≤ 0,1	ICP/MS	I.P. LAB-IT 129 based on FDA 02/2020 and in according to R. EEC 333/2007
Iron	< 0,50	mg/Kg	≤ 3,0	ICP/MS	I.P. LAB-IT 129 based on FDA 02/2020 and in according to R. EEC 333/2007
Copper	< 0,025	mg/Kg	≤ 0,1	ICP/MS	I.P. LAB-IT 129 based on FDA 02/2020 and in according to R. EEC 333/2007
Cadmium	< 0,013	mg/Kg		ICP/MS	I.P. LAB-IT 129 based on FDA 02/2020 and in according to R. EEC 333/2007
Polycyclic aromatic hydrocarbons					
Benzo (a) anthracene	< 0,9	µg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 161 according to R. (CE) 333/07 and alterations later
Benzo (b) fluoranthene	< 0,9	µg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 161 according to R. (CE) 333/07 and alterations later

ANALYSIS REPORT

Report / Sample: A.1 / 202513603

Testing	Applicant	Units	Limits	Analytical technique	Testing method
Crisene	< 0,9	µg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 161 according to R. (CE) 333/07 and alterations later
Benzo (a) pyrene	< 0,9	µg/Kg	2,0	GC/MS/MS QQQ	I.P. LAB-IT 161 according to R. (CE) 333/07 and alterations later
∑ A.P.H.	< 3,6	µg/Kg	10,0	GC/MS/MS QQQ	I.P. LAB-IT 161 according to R. (CE) 333/07 and alterations later
(*) Pesticide residues by gas chromatography mass spectrometry (GC-MS/MS)					
(*) 2,4-D butyl ester	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) 2,4-D methyl ester	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) 2-Phenylphenol	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) 4-Phenylphenol	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Aclonifen	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Biphenyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Bitertanol	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Bromocyclen	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Acetochlor	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Acrinathrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Alachlor	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Anthraquinone	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Atrazine	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Atrazine-desisopropyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Benalaxyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Benfluralin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Bifenthrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Bromacil	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Bromophos ethyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Bromophos methyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Bromopropylate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Bupirimate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Buprofezin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A.1 / 202513603

Testing	Applicant	Units	Limits	Analytical technique	Testing method
(*) Butralin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Cadusafos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Captan	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Carbophenothion	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Cyanophos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Cyfluthrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Cypermethrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Cyproconazol	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Clodinafop-propargyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Chlordane cis	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Chlordane trans	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Chlorfenapyr	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Chlorfenprop methyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Chlorfenvinphos suma	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Chloroaniline	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Chloroneb	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Chlorothalonil	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Chlorpyrifos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Chlorpyrifos-methyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Chlorthal-dimethyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Chlorthion	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Chlozolinate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Kresoxim Methyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) DDD-p,p' (TDE)	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) DDE-p,p'	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) DDT-p,p'	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Deltamethrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Desmetryn	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A.1 / 202513603

Testing	Applicant	Units	Limits	Analytical technique	Testing method
(*) Diazinon	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Dichlobenil	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Dichlofenthion	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Diclofop-methyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Dicloran	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Dichlorvos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Dicofol 4,4' -	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Dicofol p,p	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Dieldrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Diphenylamine	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Difenconazole	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Diflufenican	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Dimethenamid	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Diniconazole	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Dinitramine	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Dinobuton	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Disulfoton	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Endosulfan alfa	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Endosulfan beta	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Endosulfan sulfate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Endrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Esfenvalerate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Ethafluralin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Ethion	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Etofenprox	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Ethofumesate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Ethoxyquin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Etridiazole	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2

ANALYSIS REPORT
Report / Sample: A.1 / 202513603

Testing	Applicant	Units	Limits	Analytical technique	Testing method
(*) Etrimfos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fenarimol	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fenazaquin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fenchlorphos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fenitrothion	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fenothrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fenoxaprop-p-ethyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fenpropathrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fenthion	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fenthoate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fenvalerate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fipronil	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fipronil-desulfinyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fluazifop-butyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Flucythrinate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fluchloralin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fludioxonil	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Flusilazole	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fonofos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Formothion	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fosmet	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Halfenprox	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) HCH alfa	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) HCH-beta	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) HCH-delta	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Heptachlor endo epoxide	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Heptachlor exo epoxide	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Heptenophos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A.1 / 202513603

Testing	Applicant	Units	Limits	Analytical technique	Testing method
(*) Hexachlorobenzene	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Hexaconazole	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Iprodione	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Isodrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Lambda-Cyhalothrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Leptophos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Lindane-gamma	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Malathion	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) MCPA-2-ethylhexyl ester	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) MCPA-methyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) MCPB-methyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Mecarbam	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Metalaxyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Methidathion	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Methoxychlor	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Metribuzin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Myclobutanil	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Mirex	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Molinate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Nitralin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Nitrofen	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Nitrothal-isopropyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Nuarimol	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Oxadixyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Oxyfluorfen	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Parathion Ethyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Parathion methyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Pebulate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A.1 / 202513603

Testing	Applicant	Units	Limits	Analytical technique	Testing method
(*) Penconazol	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Pendimethalin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Pentachloroaniline	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Pentachlorobenzene	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Permetrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Pethoxamid	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Piperonyl-butoxide	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Pyrazophos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Pyridaben	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Pyridaphenthion	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Pyrifenox	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Pyrimethanil	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Pirimiphos-ethyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Pirimiphos Methyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Pyriproxyfen	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Procymidone	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Propham	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Profenofos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Profluralin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Prometryn	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Propachlor	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Propargite	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Propazine	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Propetamphos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Propiconazol	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Propyzamide	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Prothiofos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Quinalphos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A.1 / 202513603

Testing	Applicant	Units	Limits	Analytical technique	Testing method
(*) Quinomethionate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Quinoxifen	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Quintozene	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) S 421	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Silafluofen	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Silthiofam	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Simazine	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Symetrine	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Sulfotep	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Fluvalinate tau	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Tebuconazole	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Tebufenpyrad	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Tecnacene	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Teflubenzuron	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Tefluthrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Terbutcarb	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Terbufos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Terbumeton	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Terbutylazine	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Terbutryn	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Tetrachlorvinphos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Tetraconazole	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Tetradifon	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Tetramethrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Tetrasul	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Thiocyclam hydrogeneoxalate	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Thiometon	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Tolclofos Methyl	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2

ANALYSIS REPORT
Report / Sample: A.1 / 202513603

Testing	Applicant	Units	Limits	Analytical technique	Testing method
(*) Transfluthrin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Triadimefon	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Trichloronat	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Triflumizol	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Trifluralin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Vinclozolin	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Iodofenphos	< 0,01	mg/Kg		GC/MS/MS QQQ	I.P. LAB-IT 125 according to SANTE 11312/21 v2
(*) Pesticide residues by liquid chromatography mass spectrometry (LC-MS/MS)					
(*) Abamectin	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Carbofuran 3-Hydroxy	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Acephate	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Acetamiprid	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Acibenzolar-S-methyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Aldicarb sulfone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Aldicarb-sulfoxide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Aldicarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Atrazine-desisopropyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Azinphos-ethyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Azinphos-methyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Azoxystrobin	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Bendiocarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Benomyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Benoxacor	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Bensulfuron-methyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Benthiavalicarb isopropyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Boscalid	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Bromuconazol	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Butafenacil	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A.1 / 202513603

Testing	Applicant	Units	Limits	Analytical technique	Testing method
(*) Butocarboxim-sulfon	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Butoxicarboxim	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Carbaryl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Carbendazim	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Carbofuran	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Carfentrazone-ethyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Cyanazine	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Cyantraniliprole	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Cyazofamid	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Cycloxydim	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Cyflufenamid	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Cyflumetofen	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Cymoxanil	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Cyprodinil	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Clethodim	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Clofentezine	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Clomazone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Cloquintocet mexyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Chlorantraniliprole	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Chloridazon	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Chlorpropham	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Chlorsulfuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Chlortoluron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Clothianidin	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Coumaphos	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Demeton-S-methyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Demeton-S-methyl sulfone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Demeton S-methylsulfóxide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2

ANALYSIS REPORT
Report / Sample: A.1 / 202513603

Testing	Applicant	Units	Limits	Analytical technique	Testing method
(*) Desmedipham	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Dichlofluanide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Dicrotophos	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Dietofencarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Diflubenzuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Dimethachlor	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Dimethoate	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Dimethomorph	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Dimoxystrobin	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Dinocap	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Disulfoton sulfone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Diuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Dodemorph	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Dodine	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Ediphenphos	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Epoxiconazol	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) EPTC	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Spirodiclofen	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Spiromesifen	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Spirotetramat	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Spiroxamine	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Etaconazole	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Ethiofencarb sulfóxide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Ethiofencarb sulfone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Ethopabate	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Ethoprophos	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Etoxazole	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Famoxadone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A.1 / 202513603

Testing	Applicant	Units	Limits	Analytical technique	Testing method
(*) Fenamidone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Fenamiphos	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Fenbuconazole	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Fenhexamid	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Phenmedipham	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Fenobucarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Fenoxycarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Fenpyroximate	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Fenpropidin	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Fensulfothion	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Fensulfothion oxon	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Fensulfothion oxon sulfone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Fensulfothion sulfone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Fenuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Flonicamid	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Florasulam	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Flubendiamide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Flufenacet	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Flufenoxuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Fluometuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Fluopicolide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Fluopiram	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Fluquinconazole	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Flurochloridone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Flutolanil	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Flutriafol	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Florclorfenuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Phosalone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A.1 / 202513603

Testing	Applicant	Units	Limits	Analytical technique	Testing method
(*) Fosthiazate	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Phoxim	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Furalaxyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Haloxyfop-2-ethoxyethyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Haloxyfop-methyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Hexaflumuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Hexythiazox	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Imazalil	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Imidacloprid	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Indoxacarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Iprovalicarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Isoprocarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Isoprothiolane	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Isoproturon	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Isopyrazam	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Isoxaben	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Isoxadifen ethyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Isoxaflutole	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Lenacil	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Linuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Malaoxon	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Mandipropamid	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Mefenpyr diethyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Mepanipyrim	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Mepronil	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Mesotrione	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Methabenzathiuon	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Metaflumizone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A.1 / 202513603

Testing	Applicant	Units	Limits	Analytical technique	Testing method
(*) Methamidophos	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Metamitron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Metazachlor	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Methiocarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Methiocarb sulfone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Methiocarb sulfóxide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Metobromuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Metolachlor S	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Metolcarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Methomyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Methoprotryne	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Methoxyfenozide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Metoxuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Metrafenone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Monocrotophos	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Monolinuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Monuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Napropamide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Neburon	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Norflurazon	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Novaluron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Oryzalin	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Oxadiargyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Oxadiazon	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Oxamyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Paclobutrazol	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Pencycuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Penthiopyrad	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A.1 / 202513603

Testing	Applicant	Units	Limits	Analytical technique	Testing method
(*) Picolinafen	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Pyraclostrobin	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Pyraflufen Ethyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Pirimicarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Pirimicarb-desmethyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Prochloraz	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Promecarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Propamocarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Propanil	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Propaquizafop	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Propoxur	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Proquinazid	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Prosulfocarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Quizalofop-ethyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Rimsulfuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Rotenone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Spinetoram	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Spinosad (A+D)	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Tebufenozide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Terbacil	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Terbufos sulfone	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Terbufos sulfoxide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Thiabendazole	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Thiacloprid	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Thiamethoxam	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Thiazopyr	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Thiobencarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Thiodicarb	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2

ANALYSIS REPORT

Report / Sample: A.1 / 202513603

Testing	Applicant	Units	Limits	Analytical technique	Testing method
(*) Thiophanate-methyl	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Tolfenpyrade	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Tolyfluanide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Triadimenol	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Tricyclazole	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Trichlorfon	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Trifloxystrobin	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Triflumuron	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Triforine	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Valifenalate	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Vamidothion	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
(*) Zoxamide	< 0,01	mg/Kg		HPLC/MS/MS QQQ	I.P. LAB-IT 126 according to SANTE 11312/21 v2
Pyropheophytin	1,7 ±0,2	%		Liquid Chromatography	I.P. LAB-IT 160 based on ISO 29841:2009/Amd 1:2016
Determination of diacylglycerols					
1,2 Diglycerides	97 ±4	%		Gas chromatography	I.P. LAB-IT 159 based on UNE-EN ISO 29822:2014
1,3 Diglycerides	2,9 ±0,3	%		Gas chromatography	I.P. LAB-IT 159 based on UNE-EN ISO 29822:2014
Halogenated solvents					
Trichloromethane	< 0,025	mg/Kg		HS/GC-MS	I.P. LAB-IT 158 Rev. 2
Tetrachloromethane	< 0,010	mg/Kg		HS/GC-MS	I.P. LAB-IT 158 Rev. 2
Trichloroethene	< 0,010	mg/Kg		HS/GC-MS	I.P. LAB-IT 158 Rev. 2
Tetrachloroethene	< 0,010	mg/Kg		HS/GC-MS	I.P. LAB-IT 158 Rev. 2
∑ Halogenated solvents	< 0,055	mg/Kg		HS/GC-MS	I.P. LAB-IT 158 Rev. 2

ANALYSIS REPORT

Report / Sample: A.1 / 202513603

Product photos



These results only correspond to the sample analyzed.

This report should not be reproduced without the written authorization of the test laboratory, and it will only be valid if the original signature is included in it. Laboratory certified by AENOR for the Spanish Standard UNE-EN ISO 9001:2015/A1:2024 with certificate number: ER-0331/2024.

The estimated uncertainty, in quantitative methods, is found next to the result of the signed test \pm , for a confidence level of 95% ($k = 2$), expressed in absolute value. If it is not indicated in the report, it is estimated and available to the client who requests it.

Laboratorio Agroalimentario Industrial S.L., complies with the legislation on data protection, in accordance with the provisions of Organic Law 3/2018 of December 5.

Laboratorio Agroalimentario Industrial S.L. (Indlab) has no responsibility for the denomination made by the client of the sample sent, nor for all the information that appears in the field 'Ref. sample (information provided by the client)' on page 1 of the report and this information is not covered by accreditation.

P.I. = Internal procedure.

The description showing at the head of the page 1 of this report refers to the visual description that the laboratory makes of the sample received, for which it is responsible.

This newsletter is valid only on computer support. All reproduction on paper is considered a copy.

The analysis results are expressed uncorrected.

Limits are established according Annex I Delegated Regulation (EU) 2022/2104 of 29 July and subsequent modifications, Royal Decree 351/2025 of 30 April and subsequent modifications, Commission Regulation (EC) No 333/2007 of 28 march and subsequent modifications, Commission Regulation (EU) 2023/915 of 25 april and subsequent modifications and COI/T.15/NC No 3.

The classification of the organoleptic assessment has been carried out according to the characteristics described in Delegated Regulation (EU) 2022/2104 of 29 July and subsequent modifications.

Click on this text to check the Maximum Residue Limits of pesticides according to Regulation (EC) 396/2005 and subsequent modifications.

The result for 'Polycyclic Aromatic Hydrocarbons' is corrected for recovery in validation according to the range, and is available to the customer on request.

The accredited analyses have been performed under ENAC scope No. 1089/LE2141. The comments and evaluations are outside this scope.

Document digitally signed by
Macarena Díaz Ramos